

INSTRUCTIONS AFTER GASTRIC BYPASS REVISION PERFORMED BY ENDOSCOPIC SUTURING

Clear Liquid Diet Post Operative Diet – Phase 1 Days 1-3

- Immediately after Endoscopy, you will start a <u>CLEAR LIQUID DIET</u> this allows your bariatric surgical areas to heal.....**NO EXCEPTIONS** unless advised by Dr. Rogart.
- You must be able to see through the liquids-no noodles, pulp, or pieces of food
- You will stay on CLEAR LIQUIDS for 3 days.
- Liquids should be sipped, not gulped
- Sip at least **1 ounce** of liquid every 20 to 30 minutes
- Your goal is to take in at least <u>64 ounces of fluid per day</u>-fill a bottle and carry it with you throughout the day
- NO STRAWS, CHEWING GUM OR CARBONATED DRINKS- they add too much air into your gastric pouch
- NO fruit nectars, juices with pulp, sweetened drinks, sodas, milkshakes, ice cream, sweetened popsicles with pieces of fruit, chocolate

Suggestions:

- Crystal light drinks
- Sugar free Jell-O
- Clear <u>unsweetened</u> fruit juices-apple, cranberry, grapefruit, orange, grape
- Sugar free popsicles No fruit pieces
- Sugar substitutes may be used: Splendid, Equal, Sugar Twin etc.
- Water
- Warm or cold unsweetened tea or coffee
- Fruit 2 0
- Stop <u>all Vitamins</u> the first week after Endoscopy. You may take your prescription medication, if they have been cleared by Dr. Rogart
- Remember- <u>if you are Diabetic</u>, Discontinue your insulin, but MONITOR YOUR BLOOD SUGAR at least 3X per day
- Take in a least 64 ounces of fluid per day.....ANY QUESTIONS OR CONCERNS, CALL OUR OFFICE



FULL LIQUID DIET

Post-Operative – PHASE 2 Days 4-7

- Sugar Free Pudding
- Cream of Wheat with Skim or 1 % Milk
- Skim or 1% Milk
- Blended soups (No chunks)
- Cream Soups (No chunks)
- Tomato soup
- Sugar free Popsicles
- Dannon Light'n'Fit Yogurt
- Coffee
- Tomato Juice
- Protein shakes
 (Muscle Milk, Atkins Advantage or Whey High Protein Shakes)
- Plus any of your clear liquids

• Fluids - Total: At least 64 oz. a day

• Protein - Total: At least 64 grams a day

• Vitamins - Start Centrum chewable vitamins daily and Sublingual B12

500mcg daily



MUSHIES DIET Post-Operative – PHASE 3 Weeks 2-3

- Chicken Salad with Low Fat Mayonnaise
- Tuna Salad with Low Fat Mayonnaise
- Egg Salad with Low Fat Mayonnaise
- Low Fat Cottage Cheese
- White Fish (Baked, Steamed or Poached
- Scrambled Eggs
- Mashed Potatoes (without skin)
- Mashed Sweet Potatoes (without skin)
- Oatmeal/Cream of Wheat/Farina
- Dannon Light'n'Fit Yogurt
- Applesauce (no sugar added)
- Sugar free Custard
- Tofu
- Quiche (no crust)
- Baby food
- Meatloaf/Meatballs with Sauce

• Fluids - Total: At least 64 oz. a day

Protein - Total: At least 64 grams a day

Vitamins - Start Citracal with Vitamin D (Petites) 1200 mg daily

and Biotin 2000 mcg daily



MODIFIED REGULAR DIET Post-Operative – PHASE 4 Starting week 4

- 1. Eat only 3 meals a day and a small snack (150 calories) at night, if needed.
- 2. Try to keep portions around 4 ounces per meal. (1/3 of Lean Cuisine size)
- 3. Avoid snaking between meals. Fat free and sugar free foods still have calories that will add up quickly
- 4. Do not drink and eat at the same time (wait 30 minutes before and 30 minutes after a meal to drink).
- 5. Avoid carbonated beverages, the use of straws and chewing gum to prevent increased air soncumption which will cause discomfort and stretching of the gastric pouch.
- 6. Take your multi-viamin, calcium and B12 every day.
- 7. Avoid cheese, cream sauces, bacon, sausages, high fat lunch meats, whole milk products and all foods containing sugar because they are higher in calories
- 8. If you are trying a new food, chew it thoroughly and take your time. You should only introduce <u>1</u> new food at a time to see if you tolerate it well.
- 9. Exercise at least 30 minutes per day. This is the only way to increase your metabolism to burn more calories.
- 10. Your endoscopic revision was only a tool. You need to stay in control of your diet and exercise to keep the weight off